




**SCHELLING** 1867

**RAISING FILLET S.R.L.**



**Exclusive Agent in Bangladesh:**



**J.K. TEX**  
RESOURCES LTD  
Display The Style of Famous Brand...


**Office:** House # 08 (2nd Floor), Road # 3/C  
Sector # 09, Uttara, Dhaka-1230, Bangladesh  
Tel : +88-02-48951499, Cell:+88-01750-031885  
E-mail: sales@jktexbd.com, info@jktexbd.com

[www.jktexbd.com](http://www.jktexbd.com)

**RAISING FILLET U.S.A. TYPE**

# RAISING FIL


**U1**



**U1**

WIDTH OF FOUNDATION	19 mm
WIRE N°	# 18 (30)
WIRE DIAMETER	0,355 mm
NUMBER OF POINTS	260 / (INCH) <sup>2</sup>
ROWS	18
TOTAL HEIGHT WITH PLYBACK	11,5 mm
FOUNDATION	3 PLY RED RUBBER


**U2**



**U2**

WIDTH OF FOUNDATION	19 mm
WIRE N°	# 28 / 32
WIRE DIAMETER	0,405 / 0,305 mm
NUMBER OF POINTS	284 / (INCH) <sup>2</sup>
ROWS	18
TOTAL HEIGHT WITH PLYBACK	11,5 mm
FOUNDATION	3 PLY RED RUBBER


**U3**



**U3**

WIDTH OF FOUNDATION	18,5 mm
WIRE N°	# 28 / 32
WIRE DIAMETER	0,405 / 0,305 mm
NUMBER OF POINTS	222 / (INCH) <sup>2</sup>
ROWS	12
TOTAL HEIGHT WITH PLYBACK	11,5 mm
FOUNDATION	3 PLY RED RUBBER


**U4**



**U4**

WIDTH OF FOUNDATION	19 mm
WIRE N°	# 30 / 34
WIRE DIAMETER	0,355 / 0,255 mm
NUMBER OF POINTS	360 / (INCH) <sup>2</sup>
ROWS	18
TOTAL HEIGHT WITH PLYBACK	11,5 mm
FOUNDATION	3 PLY RED RUBBER


**U4s**



**U4**

WIDTH OF FOUNDATION	19 mm
WIRE N°	# 30 / 34
WIRE DIAMETER	0,355 / 0,255 mm
NUMBER OF POINTS	360 / (INCH) <sup>2</sup>
ROWS	18
TOTAL HEIGHT WITH PLYBACK	11,5 mm
FOUNDATION	3 PLY RED RUBBER

**U5**




**U5**

WIDTH OF FOUNDATION	18,5 mm
WIRE N°	# 24 / 32
WIRE DIAMETER	0,580 / 0,330 mm
NUMBER OF POINTS	175 / (INCH) <sup>2</sup>
ROWS	12
TOTAL HEIGHT WITH PLYBACK	11,5 mm
FOUNDATION	4 PLY RED RUBBER

# U.S.A. TYPE


**U6**



**U6**

WIDTH OF FOUNDATION	19 mm
WIRE N°	# 24 / 32
WIRE DIAMETER	0,580 / 0,330 mm
NUMBER OF POINTS	340 / (INCH) <sup>2</sup>
ROWS	18
TOTAL HEIGHT WITH PLYBACK	11,5 mm
FOUNDATION	4 PLY RED RUBBER


**U10**



**U10**

WIDTH OF FOUNDATION	19 mm
WIRE N°	# 27 / 31
WIRE DIAMETER	0,430 / 0,330 mm
NUMBER OF POINTS	284 / (INCH) <sup>2</sup>
ROWS	18
TOTAL HEIGHT WITH PLYBACK	11,5 mm
FOUNDATION	3 PLY RED RUBBER


**U11**



**U11**

WIDTH OF FOUNDATION	19 mm
WIRE N°	# 26 / 30
WIRE DIAMETER	0,480 / 0,355 mm
NUMBER OF POINTS	284 / (INCH) <sup>2</sup>
ROWS	18
TOTAL HEIGHT WITH PLYBACK	11,5 mm
FOUNDATION	3 PLY RED RUBBER


**UB7**



**UB7**

WIDTH OF FOUNDATION	38 mm
WIRE N°	# 18 (30)
WIRE DIAMETER	0,355 mm
NUMBER OF POINTS	100 / (INCH) <sup>2</sup>
ROWS	24
TOTAL HEIGHT WITH PLYBACK	28,5 mm
FOUNDATION	3 PLY RED RUBBER


**UB8**



**UB8**

WIDTH OF FOUNDATION	38 mm
WIRE N°	# 14 (28)
WIRE DIAMETER	0,405 mm
NUMBER OF POINTS	100 / (INCH) <sup>2</sup>
ROWS	24
TOTAL HEIGHT WITH PLYBACK	28,5 mm
FOUNDATION	4 PLY RED RUBBER

**UB9**



**UB9**

WIDTH OF FOUNDATION	38 mm
WIRE N°	# 14 (28)
WIRE DIAMETER	0,405 mm
NUMBER OF POINTS	100 / (INCH) <sup>2</sup>
ROWS	24
TOTAL HEIGHT WITH PLYBACK	32,5 mm
FOUNDATION	4 PLY RED RUBBER



**SCHELLING** 1867

**RAISING FILLET S.R.L.**



28831 BAVENO (VB) Italia - via Donne della Resistenza, 38  
☎ 0323.924.786 - 0323.923.692 - Fax 0323.922.392  
e-mail: [servizioclienti@schelling1867.it](mailto:servizioclienti@schelling1867.it)  
e-mail: [export@schelling1867.it](mailto:export@schelling1867.it) - [www.schelling1867.it](http://www.schelling1867.it)

**150** YEARS  
1867/2017